


Taralay Impression

A unique, stunning and eco-friendly collection, designed just for you










All colours available in ACOUSTIC 19dB & COMPACT 8dB



Others colours on order minimum 700 sqm

SAMPLES









Taralay Impression...

the original & eco-designed range, created for you

For multiple high traffic uses







Education













Acoustic Version
High-performance



1 collection

4 solutions

Glue-down installation



Taralay Impression



Taralay Impression



Looselay



Taralay Impression

hop

Compact

19 dB

Taralay Impression

Acoustic

Taralay Impression hop:

The easy solution for new-builds or renovation projects

... the answer to all your needs

A collection that serves its users

PROTECSOL® 2, THE STAIN GUARD


- Reduces cleaning time & saves money
- Uses less water and fewer cleaning products (detergent etc.)
- Resistant to chemicals




Its water-repellent effect prevents products that stain from penetrating.



Stain test




Results after cleaning



Full stain resistance table available on request

REDUCED PUSH FORCE REQUIRED FOR WHEELING AROUND HEAVY LOADS

Comparison of Taralay Impression vs competitors*




2 technical solutions

Taralay Impression – Glue-down installation

Enhanced durability to withstand heavy traffic usage

Over 20 million m² of flooring have been installed since the 1st generation of Taralay Impression. Brand new designs and colours with all the usual long-standing benefits: sustainable, easy to clean and available in a wide range of designs.



- 1 Protecsol² extra-matt surface treatment
- 2 Transparent wear layer
- 3 Design
- 4 Fibreglass
- **5** Compact interlayer
- 6 High density foam (acoustic version)

Available in a compact 8 dB or an acoustic 19 dB version


Taralay Impression hop - Looselay



EXCLUSIVE PRODUCT CONSTRUCTION, ESPECIALLY DEVELOPED FOR LOOSELAY INSTALLATION!

A stable and expansion-resistant looselay flooring

The double fibreglass + glass laid scrim reinforcement ensures excellent product maintenance. The looselay layer that is made of **recycled materials** combined with a **technical underlay** improves the product's adhesion to the floor.



= looselay

- nent grid
- Available in a compact 8 dB or an acoustic 19 dB version

High density foam (acoustic version)

Protecsol² extra-matt surface treatment

Calendered layer with recycled content

Transparent wear layer

6 Technical underlay

8 hop holding tape

2 Design3 Fibreglass4 Compact interlayer5 Glass fiber grid

9

Eco-design valued at each stage of the life cycle

Taralay Impression

GERFLOR IS COMMITTED

to communicating transparently about the carbon impact of its products and focusing on eco-design, including the use of sustainable raw materials, the sustainability of its products and circular economy



The 4 stages of the life cycle



+ 15%

Recycled content

 \checkmark

Phthalate-free*

REACH

REACH compliant



2 - Installation

made easy in busy environments



Place the HOP holding tape where the rolls join Code: 059E/Packaging: 50 ml/box



Reinforced holding tape:

- Durable
- Easy to position
- No transfer to surface underneath



Unroll



Adhesive free: less disruption (smell, noise, dust) and fewer risks of quality



Ready to walk on straight away



Can be walked on immediately



In a renovation project **the preparation time is reduced** or unnecessary

Eco-design valued at each stage of the life cycle





Protecsol®2

Protecsol²: stain resistant water-repellent surface saves water and detergent



Withstands wheeling heavy loads (straight or circular) up to 500 kg



Excellent resistance to indentation – 0.03 mm (compact)/ 0.08 mm (acoustic)



Excellent stability, even during temperature changes: expansion < 0.03%



Improved resistance to moisture



TVOC < 10 micrograms/m³



← A second life made easier

-50%

Removal time reduced by 50% in renovations, without damaging the surface underneath



Uninstall and reuse:

- Flooring can be uninstalled without damaging either the product or the surface underneath
- Flooring can be re-used for another building



Easy to recycle

- Qualifies for the **Second Life Programme**.
- Flooring is incorporated back into our production lines



A unique partnership with Paprec, recycling programmes that are certified by Eucertplast





Accelerating recycling is essential for building a more circular economy. Preserving resources and reducing the carbon footprint of our business are our commitments for Sustainable Development.



Taralay Impression

the original & eco-designed range, created for you

96 wood, mineral, textile effects and graphics that can be coordinated with and match our Taralay Premium, Tarastep, wall solutions, etc.





Taralay Impression Taralay Premium




Taralay Impression



Taralay Impression Taralay Impression







Design concepts...

Black & White Chic and retro


Happy Fun and


Biophilia Inspired by nature

















The warmth and comfort of a design inspired by woven natural fibres in unassuming colours is a perfect match for soft and subtle vintage environments.

Taralay Impression, woods with character

hộp'







Raintree Natural 1077 Scale: 15%















Scale: 20%



Scale: 20%











Taralay Impression, timeless woods









Taralay Impression, timeless woods

















Charme Kraft 1093



Habana 3D Blossom 1100 Scale: 20%



Nature Oak Brown 1054



Habana 3D Trinidad 1069

Taralay Impression, stones & decorative concrete

Rough Beige 1028













Cemento Napoli 1024
















Cemento Firenze 1025


Cemento Brescia 0543

Terrazzo Brescia 1059

Taralay Impression, soft textiles & uni




Black & White concept...



... & shades of grey








Kubes White 0755 LRV: 64,0 / NCS: 1502-Y



Nest Metal 0745








Rice Souris 0737 Nido Grey 1035 Metallic Silver 1049

*Available in Taralay Impression hop

Taralay Impression, graphics & biophilia...










... & uni





Envol Forest 1099











Rice Champagne 0736

Nido Beige 1062


Rice Greige 0763


Uni Matt Light Green 1082

Jungle Green 1039

Uni Matt Dark Green 1079











Jungle Copper 1038

Uni Matt Brick 1090


Uni Matt Copper 1089

Nido Teal 1037 Uni Matt Teal 1085









Uni Matt Navy 1083

Nest Blue 1051

"Happy" concept fun & educational






Flipkube Indigo 1042

Flipkube Purple 1075












Flipkube Lagoon 1044




Kubes Indigo 1050





Uni Matt Lagoon 1081







Kubes Lemon 1047










Kubes Corail 1027


Uni Matt Corail 1091



Happy Form 1101 Scale: 5%




Kubes Fuschia 1030




Kubes Carmine 1031



"Happy" concept fun & educational







Flipkube Garden 1043

Uni Matt Green 1080

Kubes Anis 1046




Happy Road 0923 Scale: 10%





















Taralay Impression palette



Uni Matt Poudre

Nest Metal








Nature Oak Dark

Habana 3D Vinales



Noma Beige

Infinity Greige



Moon Island

Sycamore Light Brown

Portobello



Terrazzo Black & White

Happy Number Grey

Uni Matt Brick

Envol Forest














Nido Brick









Codes	Colours	LRV	NCS	Taralay Impression hop
0543	Cemento Brescia	32,5	4502-Y	Ç
0524 025	Cemento Capri Cemento Firenze	21,8 22	5010-Y30R 5005-Y80R	0
523	Cemento Genova	43,1	3005-Y50R	0
024	Cemento Napoli	33,8	4502-B	<u> </u>
<u>026</u> 093	Cemento Roma Charme Kraft	37,8 26,9	3005-Y50R 4010-Y30R	<u> </u>
723	Charme Pecan	24,3	5502-R	
041	Chess Black & White	36,7	1002-Y50R +	
098	Envol Black & White	44,4	8000-N	
099	Envol Forest	48	1002-R 1505-Y90R	0
063	Finesse Brown	36	3010-Y50R	0
064	Finesse Nature	37,6	3502-Y	
0 <u>65</u> 066	Finesse Paille Finesse Poudre	44,5 40,5	3020-Y 3010-R10B	0
043	Flipkube Garden	18,6	5030-G10Y	
042	Flipkube Indigo	16,7	3050-R80B	
044	Flipkube Lagoon	26,7	1565-B	
075 045	Flipkube Purple	16,2 42,7	4030-R60B	
043 067	Flipkube White Gentlemen Black & White	34	3005-Y80R 3502-R	
770	Gentlemen Clear	46,2	3002-R	0
068	Gentlemen Denim	23,2	4502-B	0
069	Habana 3D Trinidad	24,7	4010-Y50R	0
070 100	Habana 3D Vinales Habana 3D Blossom	35,5 35,1	3010-Y40R 3010-Y40R	0
101	Happy Form	61,3	1502-G50Y	
102	Happy Number Blue	24,9	3040-R80B	
103	Happy Number Grey	64,9	2500-N	
923 720	Happy Road Infinity Aube	56,9 47.9	1030-G50Y 3010-V30P	
720 680	Infinity Aube Infinity Greige	47,9 33,1	3010-Y30R 4005-Y20R	0
038	Jungle Copper	32,6	4010-Y50R	
039	Jungle Green	23,6	4502-G	
040	Jungle Grey	46,9	3000-N	
046 031	Kubes Anis Kubes Carmine	51,3 13,1	1050-G60Y 4040-R	
027	Kubes Coral	30,4	2050-Y80R	
030	Kubes Fuschia	20,2	2050-R20B	
050	Kubes Indigo	30	2040-R80B	
047 755	Kubes Lemon Kubes White	52,9 64	1070-Y20R 1502-Y	
048	Metallic Gold	43,1	3005-Y20R	
049	Metallic Silver	49,2	3000-N	
760	Moon Island	24,8	4010-Y30R	
053 054	Nature Oak Blond Nature Oak Brown	36,8 22,9	3005-Y50R 5010-Y30R	0
055	Nature Oak Clear	41,2	3005-Y20R	0
056	Nature Oak Dark	25,5	5005-Y20R	0
051	Nest Blue	11,8	7010-R70B	
745 052	Nest Metal Nest White	29,2 54,8	5500-N 2502-R	0
062	Nido Beige	47,6	2005-Y60R	
036	Nido Brick	24,1	4020-Y70R	
035	Nido Grey	62,1	1502-Y50R	
037 510	Nido Teal Noma Beige	22,5 28,5	5010-R90B	
519 373	Noma Ice	52	5005-Y20R 2002-Y50R	0
773	Portobello	25,3	5005-Y20R	
073	Pure Wool Beige	48,6	3005-Y50R	
072	Pure Wool Grey	40	3005-R20B	
071 074	Pure Wool Taupe Pure Wool Teal	25 32,3	5005-Y80R 3502-R	
076	Raintree Grey	24,5	5005-Y50R	
077	Raintree Natural	31,4	5010-Y50R	0
736	Rice Champagne	37,5	4010-Y30R	
<u>763</u> 737	Rice Greige Rice Souris	48,5 30,1	3005-Y20R 5000-N	
110	Rivau Nature	30,1	4010-Y30R	0
057	Riverside	13	6502-R	
028	Rough Beige	37,8	3005-Y50R	<u> </u>
029 725	Rough Grey Sycamore Light Brown	34,2 25,6	4502-R 4010-Y30R	<u> </u>
727	Sycamore Vanilla	31,1	3020-Y20R	
058	Terrazzo Black & White	68	1502-Y50R	
059	Terrazzo Brescia	52	2005-Y80R	
0 <u>60</u> 090	Terrazzo Napoli Uni Matt Brick	63,7 23	1502-R 4020-Y70R	0
089	Uni Matt Copper	21,3	4030-Y50R	
091	Uni Matt Coral	28,4	2050-Y80R	0
088	Uni Matt Dark Beige	36,8	3005-Y50R	
079 080	Uni Matt Dark Green Uni Matt Green	14,1 32,6	6005-B80G 3030-G30Y	
832	Uni Matt Green	43	3000-N	0
078	Uni Matt Indigo	34,1	2030-R80B	Ö
084	Uni Matt Jungle Grey	29	4502-R	
081	Uni Matt Light Poigo	38,6	1050-B	
092 082	Uni Matt Light Beige Uni Matt Light Green	48,2 46,9	2502-Y 3010-G30Y	0
083	Uni Matt Navy	9,1	7010-R70B	
086	Uni Matt Powder	29,9	3020-R20B	
085	Uni Matt Teal	17,7	5010-R90B	0
087	Uni Matt White Uni Matt Yellow	64,3 53,7	1505-Y20R 1060-Y10R	
		15,8	6020-Y40R	
314	Walnut Brown	10.0		















Happy Form







Uni Matt Light Green









Finesse Poudre

Kubes White




Uni Matt Light Beige


















Gerflor products help you to age well

These days, ageing well is a social challenge. In this context, supporting people who have dementia is the focus of numerous discussions.

What is dementia? Dementia is a syndrome that occurs in numerous neurological diseases (one of the most well-known being Alzheimer's disease), caused by progressive degeneration of certain neurons. These pathologies affect the memory, thoughts, behaviour and the ability to perform daily activities.

Gerflor is committed to helping towards ageing comfortably by developing designs and colours to suit these medical conditions.

BELOW ARE SOME KEY POINTS FOR CHOOSING A SUITABLE FLOORING:



Contrasting colours

Sections of the same area (floors, walls, accessories) must be in contrasting colours in order to improve the threedimensional perception of the different spaces and thus encourage movement. It is also important to take into account the light reflectance value (LRV*) of the different sections.

> All the LRVs in Gerflor ranges are available on our website and our communication tools.



'Soft' and almost plain patterns

Heavily patterned flooring or flooring with busy patterns should be avoided, as well as the colour black, which could lead to blocking reactions due to visual barriers. We therefore recommend choosing soft patterns.

> Many designs and colours in Gerflor's ranges have semi-plain or almost plain patterns that are perfectly suitable.



Matt flooring

In addition to the more realistic look, matt flooring is perceived as more secure. In fact, shiny floors can look wet, making people with dementia hesitant and increase the risk of falling.

> The latest-generation surface treatments developed by Gerflor (Protecsol® 2, Evercare™ in particular) give the products a matt appearance.



Acoustic comfort

You should opt for acoustic products that will reduce ambient noise and create a more calm and peaceful environment.

> Many of the Gerflor collections provide sound insulation. For example, Taralay Impression offers 19 dB (acoustic version) and 8 dB (compact version) sound insulation products.





Accredited productsGerflor wanted to have its

products (notably Taralay Impression) validated and accredited by the DSDC, **Dementia Services Development Centre**.

This organisation is an independent and internationally recognised centre of knowledge and expertise dedicated to improving the lives of people with dementia.



Taralay Impression

gerflor.com / follow us (in) (f)







			Taralay Impression Acoustic	Taralay Impression Compact	Taralay Impression hop Acoustic	Taralay Impression hop Compact
Description						
T. 1011	EN ISO 24346	mm	3.35	2.00	4.35	2.30
Total thickness	ASTM F386-02	inch	0.13"	0.08"	0.17"	0.09"
	EN ISO 24340	mm	0.65	0.70	0.70	0.70
Thickness of wearlayer	ASTM F410-02	inch	0.026"	0.028"	0.028"	0.028"
	EN ISO 23997	g/m²	2825	2635	3670	3200
Weight	-	lbs/sq.ft	6.23	5.81	8.09	7.05
	EN ISO 24341	cm / lm	200 / 25	200 / 25	200 / 20	200 / 20
Width/length of sheet	-	feet - inch	6'6" / 82'	6'6" / 82'	6'6" / 65'7"	6'6" / 65'7"
Classification						
Norm/product specification	-	-	EN ISO 11638	EN ISO 10582	EN ISO 11638	EN ISO 10582
European classification	EN ISO 10874	class	34 - 42	34 - 43	34 - 42	34 - 43
Fire rating	EN 13501-1	class	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2	< 2
Slip resistance wet: ramp test with oil	EN 16165 app B	classe	R10	R10	R10	R10
Performances						
Wear resistance	EN 660.2	mm³	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0
Wear group	QB 30	group	T	T	T	Т
Type binder content	EN ISO 10582	type	_	1	1	1
Dimensional stability (requirement)	EN ISO 23999	%	≤ 0.40	≤ 0.40	≤ 0.40	≤ 0.40
Dimensional stability (measured value)	=	%	0,08	0,08	0,03	0,03
Residual indentation (requirement)	EN ISO 24343-1	mm	≤ 0.20	≤ 0.10	≤ 0.20	≤ 0.10
Residual indentation (average measured value)	-	mm	≈ 0.08	≈ 0.03	≈ 0.08	≈ 0.03
Impact sound insulation	EN ISO 717-2	dB	19	8	19	8
Castor chair test (type H)	ISO 4918	-	OK	OK	OK	OK
Thermal conductivity	EN ISO 10456	W/(m.K)	0.25	0.25	0.25	0.25
Colour fastness	EN 20 105 - BO2	degree	≥ 6	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	PROTECSOL® 2	PROTECSOL® 2	PROTECSOL® 2	PROTECSOL® 2
Chemical products resistance (1)	EN ISO 26987	-	OK	OK	OK	OK
Anti-bacterial activity (E. coli - S. aureus - MRSA) (2)	ISO 22196	-	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth	> 99% inhibits growth
Antiviral activity (human coronavirus) after 2h ⁽²⁾	ISO 21702	-	> 99.7 % virucidal activity	> 99.7 % virucidal activity	> 99.7 % virucidal activity	> 99.7 % virucidal activity
Environment / Indoor Quality Air						
TVOC after 28 days	ISO 16000-6	microgram/m ³	< 10	< 10	< 10	< 10
Certification			Floorscore®	Floorscore®	Floorscore®	Floorscore®
CE marking						
(€	EN 14041	-				

(1) Regarding the resistance to chemicals, please download the corresponding leaflet from our website. (2) The implementation of an effective cleaning regime is the most important defence against infection.

Product description and technical data sheets on gerflor.com

Installation and Maintenance Guidelines, Complementary ranges available on our Gerflor website.

Rubber leaves indelible stains on vinyl floorings: do not use mats with rubber backing and replace tubular furniture feet with those made of PVC or polyamide. Place mats of sufficient length at entrances to reduce outside sources of dirt.

IMPORTANT: The information contained in this document is valid from 01/03/2023 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

We care / We act Our Commitments for a Sustainable future



-20 % kg CO₂ equivalent/m² between 2020 and 2025





RECYCLED **30 %** by **2025**



ADHESIVE **35 %** by **2025**



60 000 t by **2025**

