
FLOOR TRIMS

TRANSITION STRIPS FOR FLOOR FINISHES



GRADUS

Why Gradus

Quality, performance and service are at the heart of everything we do. Founded in 1966, Gradus has over 50 years of extensive knowledge and is the market leader offering the widest choice of flooring accessories.

Gradus are committed to helping you and your customers every step of the way. Whether it's advice on product selection or simply just the assurance of delivering the right product to the right place at the right time, we can offer you complete piece of mind through our dedicated Sales and Technical Support teams should you ever need us.

bmtrada













Contents

Our "Floor Trims" brochure showcases selected Gradus profiles ideal for use with LVT or other types of modular flooring such as woods, ceramics and carpet tile.

It encompasses a wide range of trims, to not only provide solutions for common everyday occurrences, but also for those unusual installation scenarios that you may encounter from time to time where a specialist type of trim is needed.

To view the full Gradus range, visit our website at **www.gradus.com** for more information. Here you'll find further details on individual profiles and have access to download any supporting literature such as installation instructions and cleaning & maintenance guidelines.

Transition Strips




Multi-Purpose Trims



Cover Strips



Skirting & Coving



1



Floor Trims

Floor trims help to reduce the risk of accidents by providing a safe transition between floorcoverings. They can also provide a safe joint where wheeled traffic is expected, ensuring that trolleys can move freely between different types and heights of floorcovering.

Gradus offer floor trims in a variety of shapes and sizes to suit an array of floorcoverings ranging from LVT, woods, ceramics and other types of modular flooring.

We understand that selecting the right trim can sometimes be a complex process and it's important to always consider a combination of the safety, performance and aesthetic requirements for your intended application.

What to consider when selecting a Floor Trim? ———

01 Safety

- The type of environment?
- Is the area prone to spillages or wet floors?
- If carpet or carpet tile is present, have you considered its compressed thickness?
 - What type of profile is needed i.e. ramp top, twin top, one-piece or two-piece etc?

02 Performance

- Volume of pedestrian traffic anticipated?
 - Any likelihood of wheeled traffic?
- Cleaning and maintenance regimes expected?
 - Is a gap for natural expansion required?

03 Aesthetics

- Any particular colours, finishes or materials preferred?
- Would you like the floor trim to blend in with the surrounding environment or act as a highlight to define a walkway or breakout area for example?
 - Is a straight or curved floor trim required?

Floor Trim Colours

We offer a choice of colours and finishes to suit virtually any environment. Whether it's a premium bronze finish to blend with the surroundings at a 5-star hotel or to act as a highlight within a high-street retail store, Gradus has a colour and finish to suit your specific needs.

Below you can view all the different colours and finishes based on the products featured within this brochure.

Bronze / Brass Aluminium Pvc Standard Pvc Metallics Wood Finish Polished Brass / F7 Mill Finish / Natural Black H30 - Light Oak Burnt Almond LRV: 10 LRV: 5 F0 Natural Polished Bronze Brown Zinc LRV: 15 H61 Grey Oak F3 Polished Granite Doubloon H64 Cream Oak LRV: 13 LRV: 21 Below is a selection of specialist finishes that are applied to Bluebell H65 Light Grey Oak Platinum I RV: 8 I RV: 42 a polished brass Below is a selection material. of finishes that are Polished Chrome applied to aluminium Dove Silver H81 Walnut LRV: 27 LRV: 49 material. Satin Chrome Polished Silver Fawn LRV: 18 The above are wood effect finishes that are applied to aluminium Clay Brushed Stainless Steel Etched Silver LRV: 48 material. Pearl Nickel F4 Silver Anodised LRV readings apply to the following products: F5 Gold Anodised Satin Nickel MTS Multi-Trim System - PVC-u (page 10) Clip-Top (pages 12-13) Clip-Top fx (pages 14-15) For details of LRV readings for all other products, contact Gradus on 01625 428922. **Stainless Steel** F8 Polished F8G Matt

Please note: Due to the limitations of the printing process, colours within this catalogue should not be relied upon for colour matching.

An accurate colour match can only be achieved by requesting the relevant product sample(s) from Gradus Technical Support on 01625 428922.

Floor Trim Colour Availability

To find out which colours and finishes are available within each range, please refer to the following colour availability table.

Non-standard colours are also available and special colours can be matched upon request subject to minimum quantity and lead time. For further information contact Technical Support on 01625 428922.

Material	Colour/Finish	Luxury Trim System	Clip-Top PVC-u, Clip-Top fx, Multi-Trim System PVC-u	CET5, GT61R	Multi-Trim System Aluminium	Clip-Top Metallic, GT61M	AJC-F4, Design Clip, ET-EBF4, JT-EBF4, TP-F4	PPS System	Mono-Clip System	ACS38, ACS52, ACT, ANT, CG, TA	ACS441, ACS444, ACS470S, ET367, ET, JT, RT, TH382, TH383	BCT	TH495	CTR, CVT, PCR, T	BCS, ETR-F7, ETR-GF7, TP-F7	ETR-FO, ETR-GFO, ETR-UFO	ETR-GF8, SCSP, SCS-SF8	SCS, SCSM, SCS-SF8G	ACS-F3
	Polished Chrome	•																	
	Satin Chrome	•																	
Bronze /	Brushed Stainless Steel	•																	
Brass	Pearl Nickel	•																	
	Satin Nickel	•																	
	Polished Brass / F7	•													•				
	Polished Bronze											•							
	Polished Silver				•														
	F3 Polished										•								•
	Mill Finish / Natural									•									
Aluminium	F0 Natural															•			
	Etched Silver				•														
	F4 Silver Anodised						•	•			•								
	F5 Gold Anodised							•											
	Black		•	•										•					
	Brown		•	•										•					
_	Granite		•	•										•					
Pvc Standard	Bluebell		•	•															
Otanuaru	Dove		•	•										•					
	Fawn		•																
	Clay		•	•															
	Burnt Almond					•													
Due	Zinc					•							•						
Pvc Metallics	Doubloon					•							•						
	Platinum					•							•						
	Silver					•							•						
·	H30 - Light Oak								•										
Mand	H61 - Grey Oak								•										
Wood Finish	H64 - Cream Oak								•										
	H65 - Light Grey Oak								•										
	H81 - Walnut								•										
Stainless	F8 Polished																•		
Steel	F8G Matt																	•	

For Trans-Edge Trims see page 19 for details of insert types and colour availability.

Transition Strips

Whether it's for use with LVT or a different type of modular floorcovering such as woods, ceramic tile or carpet tile, our transition strips help to reduce the risk of accidents by providing a safe and neat junction.

Gradus offers a comprehensive selection of everyday profiles ranging from our popular Clip-Top, Clip-Top fx, MTS, Mono-Clip, PPS and Trans-Edge ranges, through to more specialist trims designed to suit particular situations that you may only encounter occasionally.

Our range includes profiles in ramp configurations for joining floorcoverings of differing heights, "twin tops" ideal for floorcoverings of the same or similar heights, profiles for installing directly up to skirting and a variety of one-piece or two-piece profiles depending on the amount of flexibility that may be required.


Curving

- Many of the Gradus trims in this section can easily be curved by hand, however some trims require a bending machine.
- To rent, buy or for more information about bending machines please contact Technical Support on 01625 428922.

Can be curved by hand.

Ø Bending machine required.

TT35/AFT15





Gradus Clip-Top TT35/AFT15 profile installed at junction between loose lay LVT and carpet tile.



Luxury Trim System

Designed to create an elegant, luxurious appearance within medium traffic applications such as luxury hotels and premium residential developments, these solid brass tops are available in a choice of six premium finishes and are the perfect complement for LVT and other types of modular flooring.





Installation Advice

- Compressed thickness of carpet should always be a tight fit to the internal gauge of the combined top/base
- Where appropriate a suitable gap must be left between the profile base and the flooring to allow for natural expansion
- Bases should always be fitted on top of resilient floorcoverings when used in a ramp configuration
- Bases should be fitted using cartridge adhesive and screw fixings

CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
SFBR37 / AFT398	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass
SFBR37 / AFT3912	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass
SFBR37 / AFT3916	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass
SFBT29 / AFT708	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

Luxury Trim System


CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
SFBT29 / AFT7012	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass
SFBT29 / AFT7016	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass
SFBT29 / AFT398	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass
SFBT29 / AFT3912	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass
SFBT29 / AFT3916	Brass Top with PVC-u Connector & Aluminium Base Base available with or without carpet gripper	2.715m 0.9m	Polished Chrome Satin Chrome Brushed Stainless Steel Pearl Nickel Satin Nickel Polished Brass


MTS Multi-Trim System[™] – PVC-u & Aluminium


A versatile and simple solution ideal for common interfaces within medium pedestrian and trolley traffic applications such as high street shops, schools, hotels and offices. Available with either PVC-u or aluminium tops, their two-piece construction enables MTS Multi-Trim System to be used with a variety of different floorcoverings including LVT, woods, ceramics and carpet tile.

Installation Advice

- Compressed thickness of carpet should always be a tight fit to the internal gauge of the combined top/base
- When installed with ceramics, wood or wood laminate flooring a suitable gap must be left between the profile base and the flooring to allow for natural expansion
- Bases should be fitted using cartridge adhesive and screw fixings







PVC-u:

CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
PTT1 / MPTB5	PVC-u Top PVC-u Base	2.70m	Black Fawn Granite Dove Brown Clay Bluebell
PTT1 / MPTB12 37 Curve on-site \$\frac{1}{9-12}\$\$ Self-levelling	PVC-u Top PVC-u Base	2.70m	Black Fawn Granite Dove Brown Clay Bluebell
PTT1 / MPTB16 37 800mm curve on-site \$\frac{1}{13-16}\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$	PVC-u Top PVC-u Base	2.70m	Black Fawn Granite Dove Brown Clay Bluebell
PTR1 / MPTB5 60 15.5 The second se	PVC-u Top PVC-u Base	2.70m	Black Fawn Granite Dove Brown Clay Bluebell
PTR1 / MPTB12 60 Figure 17	PVC-u Top PVC-u Base	2.70m	Black Fawn Granite Dove Brown Clay Bluebell
PTR1 / MPTB16 60 Self-levelling 7 13-16	PVC-u Top PVC-u Base	2.70m	Black Fawn Granite Dove Brown Clay Bluebell

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

A

MTS Multi-Trim System[™] – PVC-u & Aluminium

Aluminium:


	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ATT42 / PBT12	17.5 Self	f-levelling Aluminium Top PVC-u Base	2.70m	Polished Silver Etched Silver
ATT42 / PBT16	17.5 T ₁₂₋₁₆	Aluminium Top f-levelling PVC-u Base	2.70m	Polished Silver Etched Silver
ATB33 / PBT12	33 12-16 17.5 8-12	f-levelling Aluminium Top PVC-u Base	2.70m	Polished Silver Etched Silver
ATB33 / PBT16	33 16-20 17.5 12-16	Aluminium Top f-levelling PVC-u Base	2.70m	Polished Silver Etched Silver
ATR45 / PBT12	45 17.5 17.5 17.5 17.5 17.5 18-12	Aluminium Top F-levelling PVC-u Base	2.70m	Polished Silver Etched Silver
ATR50 / PBT16	50 17.5 12-16	f-levelling Aluminium Top PVC-u Base	2.70m	Polished Silver Etched Silver


Clip-Top[™]


These two-piece profiles allow design flexibility in heavy pedestrian and medium wheeled traffic environments including department stores, high street shops, hospitals, schools, hotels and offices. The tops can be replaced so that the colour can be altered as part of a refurbishment programme, or if a worn or damaged section needs to be changed, without renewing the base or disrupting the fitted floorcovering.

Installation Advice

- Compressed thickness of carpet should always be a tight fit to the internal gauge of the combined top / base
- Clip-Top bases should always be fitted on top of the resilient floorcovering when used in a ramp configuration
- Bases should be fitted using cartridge adhesive and screw fixings









Curving Clip-Top

Curves between the minimum and maximum radii can be factory fabricated subject to approval of template or detailed drawing (showing radius details) by the Technical Department. Curves greater than the maximum radius can be curved on-site or by Gradus on request. Curves less than the minimum radius cannot be curved.

Tops		
Profile	Min. Radius mm	Max. Radius mm
FT27	250	800
RT35M	1000	3500
RT42	1000	3500
RT52	800	3500
TT25M	500	800
TT35	250	800

Bases		
Profile	Min. Radius mm	Max. Radius mm
AFT12	250	6000
AFT13	250	6000
AFT14	250	6000
AFT15	250	6000
AFT17	250	7000
AFT28	600	9000





Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

13

Clip-Top™


CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
TT35 / DFT UK/EU Registered Design no 9/001201941	PVC-u Top Aluminium Base Base available with or without carpet gripper	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
TT25M / AFT14 27 Replaceable	ge 12 Metallic PVC-u Top Aluminium Base	2.50m	Burnt Almond Zinc Doubloon Platinum Silver
TT25M / AFT12 27 Peplaceable	ge 12 Metallic PVC-u Top Aluminium Base	2.50m	Burnt Almond Zinc Doubloon Platinum Silver
RT42 / AFT28 UK/EU Registered Design no 9/001201941	ge 12 PVC-u Top Aluminium Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
RT52 / AFT28 UK/EU Registered Design no 9/001201941	ge 12 PVC-u Top Aluminium Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
RT35M / AFT13 Replaceable	ge 12 Metallic PVC-u Top Aluminium Base	2.50m	Burnt Almond Zinc Doubloon Platinum Silver
FT27 / AFT15 27 10 Replaceable	ge 12 PVC-u Top Aluminium Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FT27 / AFT45 27 10 Replaceable	PVC-u Top Aluminium Base e Tops Base available with or without carpet gripper	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FT27 / AFT17 27 13 Replaceable	ge 12 PVC-u Top Aluminium Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FT27 / AFT 27 13 Replaceable	PVC-u Top Aluminium Base e Tops Base available with or without carpet gripper	2.50m	Black Fawn Granite Dove Brown Clay Bluebell

Clip-Top fx®

Featuring a two-piece design, our Clip-Top fx profiles are suitable for medium pedestrian and wheeled traffic applications including high street shops, schools, hotels and offices. They are particularly suited for applications where a regular refurbishment programme is expected or added flexibility to change tops is preferred. A choice of bases are available with aluminium for straights or PVC-u for curves to allow easy forming on-site without the need for any heat application.

Installation Advice

- Compressed thickness of carpet should always be a tight fit to the internal gauge of the combined top / base
- Clip-Top fx bases should always be fitted on top of the resilient floorcovering when used in a ramp configuration
- Bases should be fitted using cartridge adhesive and screw fixings





PVC-u bases are pre-punched with tabs and fixing holes for on-site curving. Latex screed should be used with LVT floorcoverings to prevent the pre-punched base shadowing through.



Aluminium bases have a solid flange for straight lengths.

CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
FXT21 / FXB336 400mm min curve on-site Replaceable Tops	PVC-u Top PVC-u Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FXT21 / AFT336 Replaceable Tops	PVC-u Top Aluminium Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FXT21 / FXB339 400mm min curve on-site Replaceable Tops	PVC-u Top PVC-u Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FXT21 / AFT339 22 15 Replaceable Tops	PVC-u Top Aluminium Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FXT21 / FXB3312 400mm min curve on-site Replaceable Tops	PVC-u Top PVC-u Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell
FXT21 / AFT3312 22 18 Replaceable Tops	PVC-u Top Aluminium Base	2.50m	Black Fawn Granite Dove Brown Clay Bluebell

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.






CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISH	HES
30 CL	00mm min urve on-site eable Tops	PVC-u Top PVC-u Base	2.50m	Granite Do	awn ove lay
FXT31 / AFT336 Replace	eable Tops	PVC-u Top Aluminium Base	2.50m	Granite Do	awn ove lay
30 CL	00mm min urve on-site eable Tops	PVC-u Top PVC-u Base	2.50m	Granite Do	awn ove lay
FXT31 / AFT339 30 15 Replace	eable Tops	PVC-u Top Aluminium Base	2.50m		awn ove lay
30 CL	OOmm min urve on-site eable Tops	PVC-u Top PVC-u Base	2.50m	Granite Do	awn ove lay
FXT31 / AFT3312 Replace	eable Tops	PVC-u Top Aluminium Base	2.50m	Granite Do	awn ove lay
curve o	nin convex n-site nin concave	PVC-u Top PVC-u Base	2.50m	Granite Do	awn ove lay
FXR40 / AFT336 Replace	able Tops	PVC-u Top Aluminium Base	2.50m	Granite Do	awn ove lay


Design-Clip


Provides a neat finish at junctions between hard floors such as LVT, wood and wood laminate, whilst also allowing room for natural expansion. Our Design-Clip profiles are suitable for use within medium traffic environments including commercial offices, hotels and restaurants.

Installation Advice

- Bases should be fitted using cartridge adhesive and screw fixings.
- When installed with floorcoverings that require room for natural expansion, a suitable gap must be left between the profile base and the floorcovering to allow for that expansion.







	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
KA576	no.4 33 4-7 O-3 Self-levelling	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised
KC578	7 no.4 24 Self-levelling	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised
KB577	7 no.4 Self-levelling	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised


Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.


PPS® System


These two-piece profiles feature a unique patented linking screw enabling them to accomodate various heights of modular floorcoverings including LVT, whilst also allowing room for natural expansion where necessary. This range is ideal for use within medium traffic applications such as commercial offices and restaurants.

Installation Advice

- Bases should be fitted using cartridge adhesive and screw fixings.
- When installed with floorcoverings that require room for natural expansion, a suitable gap must be left between the profile base and the floorcovering to allow for that expansion.








CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISHES
KC388AS (∑) T10 Torx™ Screw				
5-9 1 7-11	Adjustable height	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised F5 Gold Anodised
KC388XXL	ı			
7-16 \$ \$ 9-18	Adjustable height	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised F5 Gold Anodised
KA386AS © T10 Torx [™] Screv	V			
7-11 1	-5 Adjustable height	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised F5 Gold Anodised
KA386XXL	ı			
9-18	Adjustable height	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised F5 Gold Anodised
KB387AS	V			
\$5-9 \(\frac{1}{40}\)	Adjustable height	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised F5 Gold Anodised
KB387XXL	/			
7-16 1 12-21	Adjustable height	Aluminium Top Aluminium Base	2.70m	F4 Silver Anodised F5 Gold Anodised


NEW Mono-Clip® System


Mono-Clip is a range of two-piece profiles available in wood effect finishes for use with wood and wood laminates. Tops can be clipped into bases at varying heights to accommodate a variety of floorcoverings. Mono-Clip profiles are suitable for use within medium traffic applications such as commercial offices and restaurants.

Installation Advice

- Bases should be fitted using cartridge adhesive and screw fixings.
- When installed with floorcoverings that require room for natural expansion, a suitable gap must be left between the profile base and the floorcovering to allow for that expansion.







CODE / PROFILE	MATER	RIAL LENGTH	COLOURS / FINISHES
8.5-13.5 7-12 7-12	Aluminiu Self-levelling Aluminiur		H30 Light Oak H61 Grey Oak H64 Cream Oak H65 Light Grey Oak H81 Walnut
31.5 13.5-18.5 12-17	Aluminiu Self-levelling Aluminiur		H30 Light Oak H61 Grey Oak H64 Cream Oak H65 Light Grey Oak H81 Walnut
8.5-13.5 0-4.5	Aluminiu Self-levelling Aluminiur		H30 Light Oak H61 Grey Oak H64 Cream Oak H65 Light Grey Oak H81 Walnut
13.5-18.5 \ 13.5-18.5 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Aluminiu Self-levelling Aluminiur		H30 Light Oak H61 Grey Oak H64 Cream Oak H65 Light Grey Oak H81 Walnut
KB557 / MCB554	Aluminiu Self-levelling Aluminiur		H30 Light Oak H61 Grey Oak H64 Cream Oak H65 Light Grey Oak H81 Walnut
KB557 / MCB555	Aluminiu Self-levelling Aluminiur	' ') /(lm	H30 Light Oak H61 Grey Oak H64 Cream Oak H65 Light Grey Oak H81 Walnut


Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.


Trans-Edge® – Trims

Designed for the most demanding environments our Trans-Edge range is ideal where frequent heavy foot and wheeled traffic can be expected such as railway stations, airports and hospitals. Trans-Edge trims comprise an aluminium base channel with a choice of slip-resistant Elite inserts (ordered separately). Standard interior insert is available for interior dry conditions. Xtra-grip insert is available for interior areas that are at risk of becoming wet.

Installation Advice

- Aluminium channels are fixed using screws and cartridge adhesive. Elite insert is then fitted into channel to allow concealed fixings
- If used with carpet, compressed thickness of carpet should always be a tight fit to the internal gauge of the profile
- When installed with ceramics, wood or wood laminate flooring a suitable gap must be left between the profile and the flooring to allow for natural expansion
- Ramp profiles should always be fitted on top of resilient floorcoverings






Elite Insert supplied separately to channel	Coil Length
ELINS30 - Interior	15m coil
ELINS40 - Interior	25m coil
ELINS50 - Interior	25m coil
ELINSXG30 - Xtra-grip	15m coil
ELINSXG50 - Xtra-grip	15m coil

20

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ELACS5040	\\\7 no.6	Aluminium	2.50m	Elite Xtra-grip Insert
	4[50] 5.25	PVC-u Insert (ELINS40)	See chart above	ELINSXG All ELAR profiles
ELAR530	\\7 no.6	Aluminium	2.50m	Onyx
	54 ↑ ↑ ↑ N 10 10 10 10 10 10 10 10 10 10 10 10 10	PVC-u Insert (ELINS30 or ELINSXG30)	See chart above	Graphite Quarry Ochre
ELAR830	\\\7 no.6	Aluminium	2.50m	Elite Interior Insert
2	65 F-11 5.5	PVC-u Insert (ELINS30 or ELINSXG30)	See chart above	ELINS All ELAR & ELACS profiles
ELAR950	\\ \7 no.6	Aluminium	2.50m	Jet Coffee
	12→ 12→ 184	PVC-u Insert (ELINS50 or ELINSXG50)	See chart above	Lead Steel Snowdrift
ELAR1250	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Aluminium	2.50m	ELACS5040
	12→I 12→I 12	PVC-u Insert (ELINS50 or ELINSXG50)	See chart above	ELAR950 ELAR1250 ELAR1550 also available with
ELAR1550	77 no.6	Aluminium	2.50m	Ink Burgundy
	13 -90 †	PVC-u Insert (ELINS50 or ELINSXG50)	See chart above	Midnight Evergreen Ocean Poppy
ELAR1830	\forall no.6	Aluminium	2.50m	Cloud Linen Glacier
	115 115 12-4 115 18.5	PVC-u Insert (ELINS30 or ELINSXG30)	See chart above	Canvas Buttercup

Edge Trims

Our Edge Trims are compatible with a huge variety of flooring types including LVT, wood laminate and carpet tile, providing a neat joint between floorcoverings.



Pre-punched with tabs and fixing holes for on-site curving. Solid base for straights. Solid base with countersunk holes for straights.

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
TA6	5 3.5 20	Aluminium	2.75m	Mill Finish
TA8	6.5	Aluminium	3.00m	Mill Finish
ET367	6 77 no.4 36	Aluminium	2.70m	F3 Polished F4 Silver Anodised
GT61M	8 6 800mm	pvc Top PVC-u Base	2.50m	Burnt Almond Zinc Doubloon Platinum Silver
GT61R	8 GT/PET profile bases contain	pvc Top PVC-u Base	2.50m	Black Brown Granite Bluebell Dove Clay
PET276	up to 25% recycled content.	pvc Top PVC-u Base	2.50m	■ Black ■ Brown ■ Granite ■ Dove

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.


A

21

Visit: www.gradus.com to download: Cleaning & Maintenance, Installation Guidelines and Health & Safety Data Sheets.

Nap Trims


Typically used when joining carpet, carpet tile or traditional carpet with underlay to a hard floorcovering such as LVT, wood laminate or ceramics. Nap Trims allow the edges of the carpet to be concealed, resulting in a neat finish whilst also protecting the raw edges.



	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ANT27	9 6	Aluminium	2.44m 2.75m 3.20m	Mill Finish
ANT355	5 36	Aluminium Available with or without carpet gripper	2.44m 2.75m 3.20m	Mill Finish
CG1042	8 44	Aluminium Available with or without carpet gripper	2.44m 2.75m 3.20m	Mill Finish
BCT16	6 34	Bronze Available with or without carpet gripper	2.50m 2.75m 3.20m	Polished
BCT18	16	Bronze Available with or without carpet gripper	2.50m 2.75m 3.20m	Polished

Square Edge Trims

Useful for hiding any slight imperfections in joints or cuts, these profiles are compatible for use with a variety of modular flooring types including LVT, carpet tile, wood and wood laminate at a junction with other flooring materials such as carpet, ceramics and wood. We supply selected profiles with pre-punched bases and tabs for on-site curving as indicated below.



Key



Solid base for straights.

Solid base with countersunk holes for straights.

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ET804	6 3 77 no.4	Aluminium	2.50m	F3 Polished F4 Silver Anodised
ET804EBF4	6 3 0	400mm Aluminium	2.50m	F4 Silver Anodised
ET806	5 \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	Aluminium	2.50m	F3 Polished F4 Silver Anodised
ET806EBF4	5 8 30	500mm Aluminium	2.50m	F4 Silver Anodised


Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

Square Edge Trims

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ET805				
1	7 77 no.4	Aluminium	2.50m	F3 Polished F4 Silver Anodised
ET805EBF4				
,	7 10 2 30 500mm	Aluminium	2.50m	F4 Silver Anodised
ACT48				
	12 12 28	Aluminium Available with or without carpet gripper	3.20m	Mill Finish
ET210				
	7.2 - 8.2 11 \rightarrow \text{\text{\$\}\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\	Aluminium	2.70m	F3 Polished F4 Silver Anodised
ET210EBF4				
	7.2 - 8.2 0 3000mm 28 Bending machine required see page 6	Aluminium	2.70m	F4 Silver Anodised
ET212				
	9 - 10.2 13	Aluminium	2.70m	F3 Polished F4 Silver Anodised
ET212EBF4				
	9 - 10.2 Ø 3000mm	Aluminium	2.70m	F4 Silver Anodised
	Bending machine required see page 6			

Finishing Trims

Used to form a neat and clean finish to the edge of a floorcovering where it either finishes or meets another floorcovering. Finishing trims protect the raw edge of floorcoverings, thus extending the life of the floorcovering. In addition, they ensure a safe transition and prevent the edge of the floorcovering from becoming a trip hazard.



Key



Solid base for straights.

Solid base with countersunk holes for straights.


	CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISHES
ACT61	5.5		Aluminium	2.50m	Mill Finish
ACT81	7.5 8 28		Aluminium	2.50m	Mill Finish
ET356	2.5 \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Aluminium	2.50m	F3 Polished F4 Silver Anodised
ET356EBF4	3.5[2.5 2.5 2 2.5 2 2 2 2 2 2 2 2 2 2 2 2 2	Ø 400mm	Aluminium	2.50m	F4 Silver Anodised
ET359	5 Y7 no.4		Aluminium	2.50m	F3 Polished F4 Silver Anodised
ET359EBF4	6 <u>↓</u> 18 — 18 — 6	Ø 400mm	Aluminium	2.50m	F4 Silver Anodised

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

(

Joint Trims


Provide a neat junction between two floorcoverings of the same height, for instance where a wood effect LVT meets a mineral effect LVT. These profiles also protect the edges of the floorcoverings and provide a safe transition. Profiles are available pre-drilled with countersunk fixing holes or pre-punched with tabs and fixing holes for on-site curving as indicated below.




	CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISHES
JT365	3 \\ \tag{7 no.4} \\ \frac{1}{34} \\ \frac{1}{3} \\		Aluminium	3.00m	F3 Polished F4 Silver Anodised
JT365EBF4		Ø 400mm	Aluminium	3.00m	F4 Silver Anodised
JT366	77 ⁴		Aluminium	2.70m	F3 Polished F4 Silver Anodised
JT366EBF4	36	Ø 400mm	Aluminium	2.70m	F4 Silver Anodised

Threshold Trims

Commonly used at door interfaces or when defining changes in areas, our range of Threshold Trims are suitable for use with floorcoverings of the same height or slightly differing heights, creating a neat finish.






CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
TH382	Aluminium	2.70m	F3 Polished F4 Silver Anodised



TH382 and TH383 - the top section should be lightly dressed down using a rubber mallet after installation to ensure a tight fit to edges of both floorcoverings.




Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

27

Visit: www.gradus.com to download: Cleaning & Maintenance, Installation Guidelines and Health & Safety Data Sheets.

Transition T Profiles

Designed for joining floorcoverings of the same, or slightly differing, heights, our Transition T profiles allow any slight imperfections to the joints and cuts to be hidden. They allow a gap for natural expansion and can also be curved on-site using a bending machine for shaped edges. To rent, buy or for more information about bending machines, please contact our Technical Support department on 01625 428922. An additional benefit of this range is that it can be fitted after the floorcoverings have already been installed, making these an ideal solution where different trades have installed each floorcovering, e.g. ceramics contractors and flooring contractors.



TP295F4

TP293F4

	CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISHES
TP290F4					
	6.5 14	Ø 500mm	Aluminium	2.70m	F4 Silver Anodised

TP290F7	6.5 14	Ø 400mm	Brass	2.70m	F7 Polished	
	Bending machine	e required see page 6				
TP291F4	20	Ø 1200mm				

Bending machine required see page 6

Bending machine required see page 6

6.5 1800mm Bending machine required see page 6	Aluminium	2.70m	F4 Silver Anodised
6.5 R-13 0 4000mm	Aluminium	2.70m	F4 Silver Anodised

2.70m

F4 Silver Anodised

Aluminium


Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.


Bending machine required see page 6


Ø 4000mm

Ramp Edges – Pvc & Aluminium

Ideal for joining a variety of floorcoverings ranging from LVT, woods or carpet tile to floorcoverings of a lower height such as stone, concrete or resilient flooring. Our Ramp Edge profiles ensure a safe transition between floorcoverings and protect the edges to minimise the risk of damage.







Solid base with countersunk holes for straights.

Pvc:

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
CVT5	52 -9 ↑ 2.5 34 5.5	pvc	2.00m	■ Black ■ Brown ■ Granite ■ Dove
CTR5	$ \begin{array}{c c} 42 \\ \hline & 33 \end{array} $ $ \begin{array}{c} 5,5 \end{array} $	pvc	2.00m	■ Black ■ Brown ■ Granite ■ Dove
PCR632	46	pvc	2.00m	■ Black ■ Brown ■ Granite ■ Dove
PCR932	9 11	pvc	2.00m	■ Black ■ Brown ■ Granite ■ Dove
T450	35 4.5	pvc	2.00m	■ Black ■ Brown ■ Granite ■ Dove
T600	6	pvc	2.00m	■ Black ■ Brown ■ Granite ■ Dove

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

Ramp Edges - Pvc & Aluminium

Aluminium:

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
RT264	77 no.4 2.5-5 28	Aluminium	2.70m	F3 Polished F4 Silver Anodised
RT265	17 no.4 5-7 .	Aluminium	2.70m	F3 Polished F4 Silver Anodised
TA16	3.5	Aluminium	2.75m	Mill Finish
RT330	19 3 Y7 no.4 .	Aluminium	2.70m	F3 Polished F4 Silver Anodised
RT250S	77 no.6 	Aluminium	2.70m	F3 Polished F4 Silver Anodised
RT247	₹ no.4 0-18 10 17 no.4	Aluminium	2.70m	F3 Polished F4 Silver Anodised
RT245	23 24 .	Aluminium	2.70m	F3 Polished F4 Silver Anodised

Our collection of Multi-Purpose Trims offers incredible versatility with a wide selection of sizes available to suit floorcoverings ranging from LVT to wood flooring.


Featuring a reduced visible surface, these profiles are ideal for areas where a clean, subtle transition is required, allowing the trim to blend in with the surrounding environment and floorcoverings.

A choice of aluminium, stainless steel and brass finishes are available, allowing you to choose a trim that best suits your particular application.

We offer three base options, which are highlighted next to each profile by the relevant symbol (symbol key can be found on page 32):


- Solid base suitable for straights.
- Pre-punched base with tabs and fixing holes for on-site curving.
- Perforated base with fixing holes for straights and use with ceramics.


ETR303F0




Gradus ETR303F0 Multi-Purpose Trim creating a safe transition between LVT and ceramic tile.









Key



Solid base for straights.

Perforated with fixing holes for straights and use with ceramics.



Aluminium:

CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ETR299F0 3.5	Aluminium	2.50m	F0 Natural
ETR299UF0 3.5 2 2 21	Aluminium	2.50m	F0 Natural
ETR299GF0 3.5	Aluminium	2.50m	F0 Natural
ETR300F0 4 2.5	Aluminium	2.50m	F0 Natural
ETR300UF0 4 2.5 4 2.5	Aluminium	2.50m	F0 Natural

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

Multi-Purpose Trims -

	CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISHES
ETR300GF0					
	4 2.5		Aluminium	2.50m	F0 Natural
ETR301F0					
	4.5	Ø 200mm	Aluminium	2.50m	F0 Natural
ETR301UF0					
	4.5 21 21		Aluminium	2.50m	F0 Natural
ETR301GF0					
	4.5 21 0		Aluminium	2.50m	F0 Natural
ETR302F0					
	6 21 21	Ø 220mm	Aluminium	2.50m	F0 Natural
ETR302UF0					
	6 21 21		Aluminium	2.50m	F0 Natural
ETR302GF0					
	6 21		Aluminium	2.50m	F0 Natural
ETR307F0					
	7.5	Ø 220mm	Aluminium	2.50m	F0 Natural
					<u> </u>

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ETR307UF0	6			
	7.5	Aluminium	2.50m	F0 Natural
ETR307GF0				
	7.5	Aluminium	2.50m	F0 Natural
ETR303F0				
	9.5 240mm	Aluminium	2.50m	F0 Natural
ETR303UF0				
	9.5	Aluminium	2.50m	F0 Natural
ETR303GF0				
	9.5	Aluminium	2.50m	F0 Natural
ETR304F0				
	10.5 12 22.5 240mm	Aluminium	2.50m	F0 Natural
ETR304UF0				
	10.5	Aluminium	2.50m	F0 Natural

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice. Symbol key - page 32.

Multi-Purpose Trims —

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ETR304GF0				
	10.5	Aluminium	2.50m	F0 Natural
ETR305F0				
	14 12.5 240mm	Aluminium	2.50m	F0 Natural
ETR305UF0				
	14 12.5	Aluminium	2.50m	F0 Natural
ETR305GF0				
	14 12.5	Aluminium	2.50m	F0 Natural
ETR306F0				
	16.5 15 22.5 450mm	Aluminium	2.50m	F0 Natural
ETR306UF0				
	16.5	Aluminium	2.50m	F0 Natural
ETR306GF0				
	16.5	Aluminium	2.50m	F0 Natural

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ETR312F0	19.5 19.5 22.5 450mm	Aluminium	2.50m	F0 Natural
ETR312UF0	19.5	Aluminium	2.50m	F0 Natural
ETR312GF0	19.5	Aluminium	2.50m	F0 Natural
ETR309F0	23.5 22.5 22.5 22.5 22.5	Aluminium	2.50m	F0 Natural
ETR309UF0	23.5	Aluminium	2.50m	F0 Natural
ETR309GF0	23.5	Aluminium	2.50m	F0 Natural

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice. Symbol key - page 32.

Multi-Purpose Trims

Stainless Steel:

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ETR301GF8	▲ 4.5 (D)	Stainless Steel	2.50m	F8 Polished
ETR302GF8	▲ 6 Q	Stainless Steel	2.50m	F8 Polished
ETR307GF8	7.5	Stainless Steel	2.50m	F8 Polished
ETR303GF8	9.5	Stainless Steel	2.50m	F8 Polished
ETR304GF8	10.5	Stainless Steel	2.50m	F8 Polished
ETR305GF8	14 12.5 CC	Stainless Steel	2.50m	F8 Polished
ETR306GF8	16.5 P T 15 C C C C C C C C C C C C C C C C C C	Stainless Steel	2.50m	F8 Polished
ETR309GF8	23.5	Stainless Steel	2.50m	F8 Polished

lacktriangle Note there is a +/- 0.5mm tolerance on the height of stainless steel multi-purpose trims.

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice. Symbol key - page 32.

Brass:

	CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISHES
ETR301F7	4.5 21 21	Ø 200mm	Brass	2.50m	F7 Polished
ETR301GF7	2 10				
	4.5		Brass	2.50m	F7 Polished
ETR302F7					
	4.5	Ø 220mm	Brass	2.50m	F7 Polished
ETR302GF7					
	4.5		Brass	2.50m	F7 Polished
ETR307F7					
	7.5	Ø 220mm	Brass	2.50m	F7 Polished
ETR307GF7					
	7.5		Brass	2.50m	F7 Polished
ETR303F7					
	9.5	Ø 240mm	Brass	2.50m	F7 Polished
ETR303GF7					
	9.5		Brass	2.50m	F7 Polished

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice. Symbol key - page 32.

	CODE / PROFILE		MATERIAL	LENGTH	COLOURS / FINISHES
ETR304F7	10.5	Ø 400mm	Brass	2.50m	F7 Polished
ETR304GF7	10.5		Brass	2.50m	F7 Polished
ETR305F7	14 12.5	Ø 400mm	Brass	2.50m	F7 Polished
ETR305GF7	14 12.5		Brass	2.50m	F7 Polished
ETR306F7	16.5	Ø 450mm	Brass	2.50m	F7 Polished
ETR306GF7	16.5 15 CC		Brass	2.50m	F7 Polished
ETR309F7	23.5	Ø 450mm	Brass	2.50m	F7 Polished
ETR309GF7	23.5		Brass	2.50m	F7 Polished

Cover Strips


Our collection of Cover Strips are designed for joining floorcoverings of a similar thickness and are typically used at door thresholds where two floorcoverings meet.

Not only do they ensure a neat and safe junction between floorcoverings, but they also help to protect the exposed edges of the floorcoverings from damage.


A variety of Cover Strips are available with a choice of central or side-drilled countersunk fixing holes. AJC profiles offer superb flexibility and can also be used as expansion joint covers where required.

Profiles are available in a selection of materials including stainless steel, brass and aluminium, complemented by a great choice of finishes including mill, matt, silver anodised or polished to suit your specific needs.








Gradus SCSM451 Cover Strip providing a safe and neat join between two types of LVT.



Cover Strips







Key

Pre-drilled with central countersunk holes.

Pre-drilled with side countersunk holes.

Pre-drilled with offset countersunk holes.

Stainless Steel:

CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
SCSM471	Stainless Steel	2.70m	F8G Matt
SCSP471 17 no.4 1 20 .	Stainless Steel	2.70m	F8 Polished
SCS471SF8G Trino.4 side drilled	Stainless Steel	2.70m	F8G Matt
SCS471SF8 To no.4 side drilled	Stainless Steel	2.70m	F8 Polished
SCSM451 \[\text{\gamma} \text{no.4} \\ \frac{1}{30} \] .	Stainless Steel	2.70m	F8G Matt

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

Cover Strips

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
SCSP451				
	\$7 no.4	Stainless Steel	2.70m	F8 Polished
SCS451SF8G				
	T no.4 side drilled	Stainless Steel	2.70m	F8G Matt
SCS451SF8				
	no.4 side drilled	Stainless Steel	2.70m	F8 Polished
SCSM454				
	Y no.4	Stainless Steel	2.70m	F8G Matt
SCSP454				
	1	Stainless Steel	2.70m	F8 Polished
SCS454SF8G				
	Too.4 side drilled	Stainless Steel	2.70m	F8G Matt
SCS454SF8				
	no.4 side drilled	Stainless Steel	2.70m	F8 Polished
SCSM455				
	1.2	Stainless Steel	2.70m	F8G Matt
SCSP455				
	1.2	Stainless Steel	2.70m	F8 Polished

Cover Strips

	CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
SCSM474	\$\frac{\frac{1}{7}\text{ no.6}}{40}	Stainless Steel	2.70m	F8G Matt
SCS474SF8G	T no.6 side drilled	Stainless Steel	2.70m	F8G Matt
SCSM475	77 no.6 2	Stainless Steel	2.70m	F8G Matt
SCS475SF8G	Y7 no.6 side drilled	Stainless Steel	2.70m	F8G Matt

Brass:

CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
BCS452F7 \text{\text{\text{T} no.4}} \text{\text{\text{T}} ao \text{\text{-30}}}	Brass	2.70m	F7 Polished
BCS454F7 \text{Y no.4} \tag{7.2} \tag{40}	Brass	2.70m	F7 Polished
BCS455F7 \[\text{T} no.4 \\ \text{1.2} \\ \text{50} \\ \text{50} \\ \text{.}	Brass	2.70m	F7 Polished

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

Cover Strips

Aluminium:

CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
ACS38 77 no.6 5 38	Aluminium	2.50m 2.75m	Mill Finish
ACS52	Aluminium	2.50m 2.75m	Mill Finish
ACS441	Aluminium	2.70m	F3 Polished F4 Silver Anodised
ACS444 offset drilled according to the second of the sec	Aluminium	2.70m	F3 Polished F4 Silver Anodised
ACS462F3 \[\text{\gamma} \te	Aluminium	2.70m	F3 Polished
ACS463F3 \[\text{Y7 no.6} \\ \frac{1}{3} \] \[\text{50} \] \[\text{50} \]	Aluminium	2.70m	F3 Polished
AJC465SF4 Too.6 side drilled 80 ideal for use as an expansion joint cover to allow movement	Aluminium	2.70m	F4 Silver Anodised
AJC466SF4 Transfer no.6 side drilled	Aluminium	2.70m	F4 Silver Anodised
ACS470S See below	Aluminium	3.00m	F3 Polished F4 Silver Anodised
offset drilled 7 no.6 68.5			

Skirting & Coving MAS90 Aluminium Skirtings ... MSS790 Stainless Steel Skirtings MAS95 Interlocking Aluminium Skirtings..... MAS97 Interlocking Aluminium Skirting..... 51 Aluminium Cove Formers Gradus MAS90/10SF metal skirting installed with LVT. 47

Skirting & Coving

Our skirting & cove formers provide a neat, clean and safe solution for junctions where the floor meets the wall. Gradus profiles are the perfect complement for any LVT and other types of modular floorcoverings such as woods, ceramics and carpet tile.

Below are a variety of considerations to help ensure that you select the appropriate skirting or coving profile for the job at hand.

What to consider when selecting a Skirting or Coving?

- The type of environment?
- The type of floorcovering(s) and the thickness of these?
- Is there a requirement for the floorcovering to continue up the wall?
- Any additional functionality requirements such as concealing cables?
- Number of end caps, junctions, external or internal corners and any other accessories required?
 - Is "wall-to-floor expansion" necessary?
 - What specific look are you intending to achieve?
- Does the skirting ideally need to sit on top of the floorcovering?
 - Is there a particular colour or finish required?

Colour Availability

		MAS90 Range	MAS95 Range	MAS97 Range	MSS790 Range	CVA870IW	CVA927
	F4 Silver Anodised Aluminium					•	•
(0	Silver Anodised Aluminium	•	•	•			
Metals	F6 Bronze Anodised Aluminium					•	
_	F9 Sand Anodised Aluminium					•	
	Satin Stainless Steel				•		



Please note: Due to the limitations of the printing process, colours within this catalogue should not be relied upon for colour matching.

An accurate colour match can only be achieved by requesting the relevant product sample(s) from Gradus Technical Support on 01625 428922.

MAS90 Aluminium Skirtings



These silver anodised aluminium profiles create a modern hi-tech finish and are designed to sit on top of floorcoverings. The capped toe design makes them a great solution for hiding wall-to-floor expansion gaps.

A selection of metal accessories including end caps, junctions and corners are also available for our MAS90 profiles, all supplied in a silver anodised finish to ensure neat and tidy finishing on site.

MAS90 profiles are fixed to the wall using appropriate adhesive.

CODE / PROFILE	FINISHES	LENGTH	END CAPS	JUNCTION	EXTERNAL CORNER	INTERNAL CORNER
MAS90/6SF	Silver Anodised Aluminium *	2.00m	MAS90/6MP	MAS90/6MG	MAS90/6ME	MAS90/6MI
MAS90/8SF	Silver Anodised Aluminium *	2.00m	MAS90/8MP	MAS90/8MG	MAS90/8ME	MAS90/8MI
MAS90/10SF	Silver Anodised Aluminium *	2.00m	MAS90/10MP	MAS90/10MG	MAS90/10ME	MAS90/10MI

^{*} Note: Additional finishes are available on request subject to minimum quantities and lead times.

All accessories are supplied in packs of 4 except for End Caps which are supplied as 4 sets of 2 (one left hand and one right hand).



MSS790 Stainless Steel Skirtings



Featuring a stainless steel satin finish, this range is ideal for use in areas where a modern hi-tech finish is required. Designed to sit on top of a variety of floorcoverings, the capped toe design allows wall-to-floor expansion gaps to be hidden.


A choice of metal accessories including end caps, junctions and corners are also available in a satin finish for a consistent look.

MSS790 profiles are fixed to the wall using appropriate adhesive.

CODE / PROFILE	FINISHES	LENGTH	END CAPS	JUNCTION	EXTERNAL CORNER	INTERNAL CORNER
MSS790/6SF	Stainless Steel Satin Finish	2.70m	MSS790/6MPS	MSS790/6MGS	MSS790/6MES	MSS790/M6IS
MSS790/8SF	Stainless Steel Satin Finish	2.70m	MSS790/8MPS	MSS790/8MGS	MSS790/8MES	MSS790/M8IS

All accessories are supplied in packs of 4 except for End Caps which are supplied as 4 sets of 2 (one left hand and one right hand).

MAS95 Interlocking Aluminium Skirtings



Ideal for use in areas where a modern finish is required, these silver anodised aluminium profiles feature interlocking aluminium brackets and are suitable for most types of modular floorcoverings including LVT, carpet tile, wood, wood laminate and ceramic tiles. The design allows low voltage cables for computers or telephones to be concealed behind the skirting profile and out of view for a clean look.

We offer a variety of accessories such as end caps, junctions and corners in a silver finish PVC-u to co-ordinate with our MAS95 profiles.

MAS95 profiles are fixed to the wall using screw fixings.

CODE / PROFILE	FINISHES	LENGTH	END CAPS	JUNCTION	EXTERNAL CORNER	INTERNAL CORNER
MAS95/7SF	Silver Anodised Aluminium with interlocking aluminium fixing brackets	2.00m *	MAS95/7P	MAS95/7G	MAS95/7E	MAS95/7I
MAS95/10SF	Silver Anodised Aluminium with interlocking aluminium fixing brackets	2.00m*	MAS95/10P	MAS95/10G	MAS95/10E	MAS95/10I

^{*} Note: 3 fixing brackets supplied per length.

All accessories are supplied in packs of 4 except for End Caps which are supplied as 4 sets of 2 (one left hand and one right hand).

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

MAS97 Interlocking Aluminium Skirting



Suitable for use in areas where a modern finish is required, the MAS97 range features a silver anodised aluminium finish to complement a range of modular floorcoverings including LVT, carpet tiles, wood, wood laminate and ceramic tiles. Designed with interlocking aluminium brackets, these profiles are ideal for use within applications where low voltage cables for computers or telephones need to be concealed.

We offer a variety of accessories such as end caps, junctions and corners in a silver finish PVC-u to co-ordinate with this range of profiles.

MAS97 profiles are fixed to the wall using screw fixings.


CODE / PROFILE	FINISHES	LENGTH	END CAPS	JUNCTION	EXTERNAL CORNER	INTERNAL CORNER
MAS97/8SF 22.5	Silver Anodised Aluminium with interlocking aluminium fixing brackets	2.00m*	MAS97/8P	MAS97/8G	MAS97/8E	MAS97/8I


^{*} Note: 3 fixing brackets supplied per length.

All accessories are supplied in packs of 4 except for End Caps which are supplied as 4 sets of 2 (one left hand and one right hand)

Aluminium Cove Formers

Aluminium Cove Formers are perfect for use with LVT as they allow the flooring material to be coved up the wall to create a neat finish where the two meet. Our Aluminium Cove Formers are supplied in two profile designs featuring several anodised finishes, ideal for use within premium environments.





CODE / PROFILE	MATERIAL	LENGTH	COLOURS / FINISHES
CVA927	Aluminium	2.50m	F4 Silver Anodised
CVA870IW	Aluminium	2.50m	F4 Silver Anodised F6 Bronze Anodised F9 Sand Anodised

Dimensions shown are nominal. Illustrations are 70% size in mm. Products subject to minor design alterations without notice.

Find your nearest Gradus distributor:

Download a copy of the latest Gradus Distributor List from our website to find out where your nearest distributor is located.



Order product samples:

Here you can select and save an unlimited number of Gradus products onto your own personal design board before ordering free samples for any products of interest.



Discover our Gradus Grip flexible adhesive:

Gradus Grip is a rapid curing flexible adhesive suitable for bonding the majority of Gradus floor trims to most solid surfaces within internal environments.



ULTRA STRONG BOND FOR MOST SURFACES*

SAVE TIME & MONEY

GRADUS 10 YEAR WARRANTY*

*Further information can be found at www.gradus.com

View the full suite of Gradus product categories and download brochures: -











Don't forget to check us out on Social Media:

- Follow us on twitter @Gradus_World
- in Keep up to date with us on LinkedIn graduslimited

GRADUS

Gradus Ltd Park Green Macclesfield Cheshire SK11 7LZ

For enquiries outside the UK and Eire contact Gradus International on +44 (0)1625 613780

Gradus International Gradus Far East
England Singapore
Tel +44 (0) 1625 613780 Tel: (+65) 6734 5933

call: 01625 428922 gradus.com