

SureProtect Endure[®]

gradus.com



GRADUS


SureProtect Endure

PVC-u sheet is textured to conceal the effects of impact and abrasion. It can be specified as a stand-alone product or be combined with other Gradus wall protection products to create a comprehensive protection system. It helps to reduce the need to repair and re-paint wall surfaces and with minimal maintenance, optimises the appearance retention of the building interior.


SPE15N - Sheet dimensions

- > Sheet size - 2440mm x 1220mm
- > Thickness - 1.5mm

Circulation Areas



Components



Information

- > Supplied in sheet form with the option of finishing trims, silicone sealant and thermoforming
- > Option to cut or form into Rubrails, kickplates and pushplates, door protection, corner protection and other bespoke solutions
- > Reaction to fire classification
EN 13501-1: Class B Fire/s3 Smoke
See installation instructions for further information
- > Resistance to cleaning chemicals
- > Available in a choice of 35 colours

Recommended Adhesive - Gradus Grip

- > WGE1 1-part reactive adhesive (1kg / 650ml)
- > Specifically developed for SureProtect Endure PVC-u Sheets
- > 10 year Warranty
- > Solvent Free
- > EC1 certified




Protective Wall Cladding



Cutting and Forming

SureProtect Endure offers excellent flexibility through the versatility of cutting or forming into bespoke designs or profiles, allowing functionality to be combined with aesthetics and offering an endless range of design possibilities.

- > Can be cut to create a variety of designs, from corporate logos in reception areas, themed Rubrails for hotels, and decorative signage.
- > Can be formed into various profiles e.g. 'L' and 'U' shapes
 - 'L' profiles can be used as bespoke corner guards, door edge and door frame protectors
 - 'U' profiles are often used for column protectors or to protect nib end walls



Rubrails and Kickplates

SureProtect Endure can be cut and shaped into a range of profiles such as Rubrails, Kickplates & Pushplates.

R15 Rubrails

R15 rubrails are available in standard heights from 100mm to 1220mm in 50mm increments. They can be bevelled on the top and bottom edges for a smooth, neat finish on request.

- > R15 Rubrails offer a cost-effective solution for protecting walls where impact and abrasion is likely to occur

K15 Kickplates

K15 Kickplates and Pushplates for doors are available in sizes up to 1220mm x 2440mm and can be bevelled on all edges for a smooth, neat finish on request. They are available with or without pre-applied adhesive.


- > K15 Kickplates & Pushplates – can be applied to new doors by the door manufacturer or surface mounted by a contractor as part of building/ refurbishment works



R15 Rubrails



K15 Kickplates



Uniclass Pr_35_90_43_86
CI/SfB (42) X

GRADUS

Gradus Ltd Park Green Macclesfield Cheshire SK11 7LZ UK Tel: 01625 428922

For enquiries outside the UK and Eire contact Gradus International on +44 (0)1625 613780

gradus.com